

**VIKING**  
THE WORLDWIDE  
DIVING STANDARD



## VIKING SRS

**- A new addition to the Viking range specifically for surface use.**



The Viking SRS is made from Nylon/Butyl/Nylon trilaminate drysuit material, which offers strength and durability, combined with being lightweight for ease of transportation. The SRS may also be supplied in Cordura/Butyl/Polyester material upon request. Seams are produced with the "Vulca-Seam Technology", which creates totally watertight seams and a suit that could be described as seamless. Suits are fitted with a medium duty non magnetic zip, which is protected with a zip flap as standard. New "Superfabric" knee pads with flexible, cut, puncture and abrasion resistant "guard plates" are fitted to complete the strengthening of the suit.

### GARMENT MATERIAL

350 gm/m<sup>2</sup> Nylon/Butyl/Nylon material. Lightweight, hardwearing and puncture and abrasion resistant. Smooth exterior finish.

Colours: Black/Black, Black/Red, Black/Yellow.

450 gm/m<sup>2</sup> Cordura/Butyl/Polyester material may be specified upon request. Available in the same colour combinations as above.

All material weights are approximate. Trilaminate suits MUST be worn with an undersuit, as the material provides no claimed insulation properties.

### VULCA-SEAM TECHNOLOGY

Traditionally, trilaminate suit seams are either glued and taped, or heat taped. Either method may lead to leaky seams at some point in the life of a suit. Viking trilaminate suits feature a unique method of seam sealing called "Vulca-Seam Technology". Just like a rubber suit, the seams are first chemically treated, then an uncured rubber tape is applied to the inside seam using heat and pressure. The whole suit is then loaded into a vulcaniser, and the tape is cured into the seam. The suit could then almost be described as seamless. This produces a totally watertight seam – guaranteed.

**VIKING**  
THE WORLDWIDE  
DIVING STANDARD



#### **FOOTWEAR**

Surface Rescue Suits are available with a range of options which are glued and taped to the legs of the suit. Latex socks for use with an overboot, rubber coated neoprene boots or safety boots with a metal insole and metal toe protector fitted.

#### **VIKING SRS FRONT ENTRY SUITS**

The Viking SRS is a front entry suit for ease of entry and exit. The suit features an adjustable telescopic torso for additional fit and comfort. The suspenders are fitted low, and the extra material folds up underneath the waistband, and is held in place by an external Y shaped crotch strap. The suit therefore moves with the wearer when bending and stretching.

#### **ZIPPER**

Viking SRS suits are fitted with medium duty non magnetic zips as standard. The zipper is gas and watertight.

#### **REINFORCEMENTS**

Viking SRS suits are fitted with "Superfabric" knee pads with built in "guard plates", which are flexible, cut, abrasion and puncture resistant.

#### **REFLECTORS**

A surface rescue suit needs to be visible, and the Viking SRS is fitted with SOLAS reflectors on the front and back of the wrists, backs of legs, and upper arms as standard.

#### **SUSPENDERS**

Adjustable and removable suspenders are fitted to every suit for additional comfort, and to aid crotch adjustment.

#### **HOOD AND NECKSEAL**

Many options are available for the SRS suit. Latex or neoprene seals may be attached to the suit, or a new quick connect collar is available allowing for easy fitting and removal of latex seals and hoods, or a neoprene hood. Warm neck collar option is available, as are separate semi dry hoods.

**VIKING**  
THE WORLDWIDE  
DIVING STANDARD



#### **CUFF RINGS**

Rubber and plastic cuff rings are available either mounted to the end of the sleeve or detachable and fitted onto an already attached wrist seal. The Viking Bayonet Ring system is also an option.

#### **CUFFS**

Latex cuffs can be attached to the sleeve, or supplied loose for use with a cuff ring system. New short conical seals are available for ease of dressing and undressing.

#### **STANDARD SIZE RANGE**

The Viking SRS is available in 18 sizes:

Size 1 Slim–Size 6 Slim

Size 1 Regular–Size 6 Regular

Size 1 Wide–Size 6 Wide

For detailed sizing, please see the size charts along with boot sizing on the website at [www.vikingdiving.com](http://www.vikingdiving.com).

Custom sizing is not available, however we can offer extending and shortening of legs and arms.

#### **INCLUDED WITH EACH DELIVERY**

Each suit is delivered in a nylon carry bag and includes: User manual, repair kit and suspenders.

#### **ACCESSORIES**

Dry gloves are available in smooth or textured latex, and for use with or without cuff rings.

Optional accessories include relief zipper, standard or XL Tech pockets, a range of latex or neoprene seals, and a range of latex or neoprene hoods.

